

CORRECTION

Open Access

Correction: Diagnostic indices for vertiginous diseases

Otmar Bayer^{1*†}, Jan-Christian Warninghoff^{2†} and Andreas Straube³

We noticed after publication that there are errors in Table two (table 1 of this article) of our article [1], recently published in BMC Neurology.

Please find the corrections below:

- 1) A 2.82 is missing in column VM.
- 2) The superscripts in column BPPV are superfluous, as the last two questions allow only one answer each, as detailed in the caption.

These corrections are included in the spreadsheet files we offered upon request in the article.

Author details

¹Integrated center for research and treatment of vertigo, balance and ocular motor disorders Ludwig-Maximilians-University of Munich Heiglhofstr. 63, 81377 Munich, Germany. ²Isar-Amper-Klinikum München-Ost, Vockestraße 72, 85540 Haar bei München, Germany. ³Department of Neurology, University of Munich, Marchioninistraße 15, 81377 Munich, Germany.

Received: 7 April 2011 Accepted: 14 April 2011 Published: 14 April 2011

Reference

1. Bayer Otmar, Warninghoff Jan-Christian, Straube Andreas: **Diagnostic indices for vertiginous diseases.** *BMC Neurology* 2010, **10**:98.

Pre-publication history

The pre-publication history for this paper can be accessed here:
<http://www.biomedcentral.com/1471-2377/11/45/prepub>

doi:10.1186/1471-2377-11-45

Cite this article as: Bayer et al.: Correction: Diagnostic indices for vertiginous diseases. *BMC Neurology* 2011 **11**:45.

* Correspondence: Otmar.Bayer@lrz.uni-muenchen.de

† Contributed equally

¹Integrated center for research and treatment of vertigo, balance and ocular motor disorders Ludwig-Maximilians-University of Munich Heiglhofstr. 63, 81377 Munich, Germany

Full list of author information is available at the end of the article

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at
www.biomedcentral.com/submit



Table 1 Table two corrected: Calculation of the diagnostic scores for PPV, BPPV, MD, and VM

Question - Item/answer	PPV	BPPV	MD	VM
How does your vertigo occur?				
in attacks	0		3.77	
as persistent vertigo	2.22	-2.35		-1.79
as persistent vertigo with attacks	1.65			
What kind of your vertigo do you have?				
rotational vertigo	-1.48 ¹			1.55 ¹
unsteadiness		-3.26		
feeling of being in a lift	1.79	-3.06		
lightheadedness			-2.54	
How do you perceive the environment during vertigo?				
like on a roundabout	-1.48 ¹			1.55 ¹
like on a boat				
blurred		-3.42	-3.74	
How often do you have defective hearing?				
never				
occasionally				-1.14 ²
frequently				-1.14 ²
always				-1.14 ²
How often do you have ear noises?				
never				
occasionally				-1.14 ²
frequently				-1.14 ²
always		-3.03	5.42	-1.14 ²
How often do you have sweating/nausea/vomiting?				
never			0 = 0-0.98	
occasionally			0.98 = 1-0.98	
frequently		-1.21	1.95 = 2-0.98	2.82
always		-1.21	2.93 = 3-0.98	2.82
How often do you have drop seizures?				
never				
occasionally				
frequently	1.70	-2.95		
always		-2.95		

For answers marked in the questionnaire, the corresponding numbers are added up. Items marked with the same superscript number within one diagnosis are scored only once. E. g. the score for PPV of a patient reporting „rotational vertigo“ or „perception of the environment like on a roundabout“ (both marked by 1) will be diminished by 1.48 no matter whether this patient reports both or only one of these two symptoms. Patients are allowed to check only one answer per question, except for the 2nd and 3rd question.

Examples of calculated scores can be found in the Additional file 1.