

## Reviewer's report

**Title:** The use of CAM by women suffering from nausea and vomiting of pregnancy

**Authors:**

Taras Hollyer ([thollyer@ccnm.edu](mailto:thollyer@ccnm.edu))  
Heather Boon ([heather.boon@utoronto.ca](mailto:heather.boon@utoronto.ca))  
Alexia Georgousis ([ageorgousis@ccnm.edu](mailto:ageorgousis@ccnm.edu))  
Michael J Smith ([michael\\_j\\_smith-@hc-sc.gc.ca](mailto:michael_j_smith-@hc-sc.gc.ca))  
Adrienne Einarson ([einarson@sickkids.on.ca](mailto:einarson@sickkids.on.ca))

**Version:** 1 **Date:** 17 Apr 2002

**Reviewer:** Prof Edzard Ernst

**Level of interest:** not specified

**Advice on publication:** Accept after discretionary revisions

This is a survey about CAM use in women with morning sickness. If is well done and the write-up is clear. My only criticism is minor:

S there are several typos

S the conclusion "steadily increasing use..." is not based on data

S I would avoid the term "alternative" throughout

S the limitations should also mention that these are only applicable to Canada.

After minor revision this manuscript should be publishable.

**Competing interests:**

None declared.